

# MATERIAL SAFETY DATA SHEET

Formula: T315-00  
MSDS No.: 1

Home Hardware Stores Limited

Page 1 of 3  
8

## Section 1 - Product and Company Identification

**Brand Name:** BEAUTI-TONE  
**Item Number:** T315-00  
**Material Code:** 2034-301, 2034-302  
**Chemical Family:** PAINTERS CAULKING WHITE  
**Intended Use:**  
**Preparation Date:** 31 March 2016  
**Prepared By:** SEALANT LAB **Phone Number:** 519-449-2441

**Emergency Phone Number:** (613) 996-6666

**Supplier:**

Home Hardware Stores Limited  
6 Brian Drive  
Burford, ON  
N0E 1A0

**Manufacturer:**

Home Hardware Stores Limited  
6 Brian Drive  
Burford, ON  
N0E 1A0

## Section 2 - Composition/Information on Ingredients

CAS No.	Description	LC50 (ml/m <sup>3</sup> )	LD50 oral (mg/kg)	LD50 Dermal (mg/kg)	Range
14808-60-7	SILICA, QUARTZ	N/AP	N/AV	N/AV	0.1% - 1.0%
107-21-1	ETHYLENE GLYCOL	2920 (RAT)	4700 (rat)	9500 (rabbit)	0.5% - 1.5%
84-74-2	DIBUTYL PHTHALATE	25000 (mouse)	8000 (rat)	19175 (rabbit)	5.0% - 10%

## Section 3 - Hazards Identification

Emergency Overview: May be harmful if inhaled, absorbed through skin, or swallowed.

Potential Health Effects

Routes of Entry: Eye contact, skin contact, skin absorption, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin contact: May cause skin irritation.

Skin absorption: Substance may be harmful if absorbed through skin.

Inhalation: May be harmful if vapours are inhaled.

Ingestion: May be harmful if swallowed.

Effects of Chronic Exposure to Product: Refer to Section 11.

Effects Of Acute Exposure: MAY CAUSE EYE IRRITATION

## Section 4 - First Aid Measures

Eye contact: Flush immediately with water for 15 mins. Get medical attention.

Skin contact: Immediately flush skin with plenty of water. Remove clothing. Get medical attention if irritation develops or persists. Contaminated clothing should be discarded in a manner of limiting further exposure.

Skin absorption: Immediately flush skin with plenty of water. Remove clothing. Get medical attention if irritation develops or persists. Contaminated clothing should be discarded in a manner limiting further exposure.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Special training of first aid providers is required. Get medical attention.

Ingestion: Get medical attention immediately. Substance may be harmful if swallowed.

# MATERIAL SAFETY DATA SHEET

Formula: T315-00  
MSDS No.: 1

Home Hardware Stores Limited

Page 2 of 3  
8

---

## Section 5 - Fire Fighting Measures

---

Flash Point:	N/AP
Flash Point Method:	N/AP
Upper Flammable Limit:	N/AV
Lower Flammable Limit:	N/AV
Autoignition:	N/AV
Hazardous Combustion Products:	N/AV
Means of Extinction:	WATER FOG, DRY CHEMICAL, FOAM
Conditions Of Flammability:	N/AV

Explosion Data

Mechanical Impact:	N/AP
Static Discharge:	N/AP

---

## Section 6 - Accidental Release Measures

---

Dispose of in accordance with regional regulations.

---

## Section 7 - Handling and Storage

---

Handling Procedures and Equipment: Avoid contact with eyes, skin, and clothing.

Storage Requirements: Keep away from food and drink.

---

## Section 8 - Exposure Control/Personal Protection

---

Specific Engineering Controls: If user operations generate dust, fume, or mist, use ventilation to minimize exposure.

Personal Protective Equipment: Wear safety glasses with side shields and chemical resistant gloves when transferring large volume of product.

Exposure Limits: Consult local authorities for acceptable exposure limits.

---

## Section 9 - Physical and Chemical Properties

---

Appearance:	WHITE PASTE
Odour:	ACRYLIC
Vapour Pressure:	N/AV
Vapour Density:	N/AV
Physical State:	THICK PASTE
Boiling Point:	APPROX 100C
Freezing/Melting Point:	APPROX 0C
pH:	7.0
Evaporation Rate:	SLOWER THAN BUTYL ACETATE
Coefficient water/oil distr.:	N/AV
Odour Threshold:	N/AV
Specific Gravity:	1.6770

---

## Section 10 - Stability and Reactivity

---

Stability: Yes.

Conditions to Avoid: High temperatures.

Materials to Avoid: None.

Hazardous Decomposition Products: Not available.

# MATERIAL SAFETY DATA SHEET

Formula: T315-00  
MSDS No.: 1

Home Hardware Stores Limited

Page 3 of 3  
8

Hazardous Polymerization: Not available.

## Section 11 - Toxicological Information

Sensitization to Product: Possible from ethylene glycol.

Carcinogenicity: Contains silica quartz which is a confirmed human carcinogen.

Irritancy of Product: Contains silica quartz, ethylene glycol and dibutyl phthalate which may cause irritation.

Reproductive Toxicity: yes from dibutyl phthalate.

Teratogenicity: yes from ethylene glycol and dibutyl phthalate.

Mutagenicity: Not available.

Name of Toxicologically Synergistic Products: Not available.

## Section 12 - Ecological Information

Not Available.

## Section 13 - Disposal Considerations

Contact your local municipal office for specific disposal guidelines in your region.

## Section 14 - Transport Information

TDG Road Classification

Shipping Name: NR

Class: NR

Packing Group: NR

UN #: NR

Limited Quantity Exemption: NR

## Section 15 - Regulatory Information

WHMIS Classification: D2A

P.C.P. Registration #: N/AP

EPA Registration #: N/AP

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

% VOC: less than 2% or 20 grams/litre.

## Section 16 - Other Information

N/AV: Not available

N/AP: Not applicable

NR: Not regulated

Information for this material safety data sheet was obtained from sources considered accurate and reliable, and was prepared to the best of Home Hardware Stores Limited knowledge. Actual conditions of use and handling beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, Provincial and local laws and regulations.