Sikaflex[®]-1A



Version 1.5	Revision Date: 12/21/2016	SDS Number: 000000604224
SECTION 1. IDENTIFICATIO	DN	
Product name	Sikaflex [®] -1A	
Manufacturer or suppli	er's details	
Company name	: Sika Canada Inc. 601, avenue Delmar Pointe-Claire, QC H9R Canada www.sika.ca	4A9
Telephone	: (514) 697-2610 / 1 (800)) 933-7452
Telefax	: (514) 694-2792	
Health and Safety Servic e-mail address	ces's : ehs@ca.sika.com	
Emergency telephone	: CANUTEC (collect) (613	3) 996-6666 (24 hours)

Recommended use of the chemical and restrictions on use

For further information, refer to product data sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin sensitization	: Category 1
Carcinogenicity (Inhalation)	: Category 1A
Specific target organ system- ic toxicity - repeated expo- sure (Inhalation)	: Category 2 (hearing organs)
GHS label elements Hazard pictograms	
Signal Word	: Danger
Hazard Statements	 H317 May cause an allergic skin reaction. H350i May cause cancer by inhalation. H373 May cause damage to organs (hearing organs) through prolonged or repeated exposure if inhaled.

Sikaflex[®]-1A



/ersion .5	Revision Date: 12/21/2016	SDS Number: 000000604224
Precautionary Statements	 P202 Do not handle and understood. P260 Do not breathe P272 Contaminated the workplace. P280 Wear protective face protection. Response: P302 + P352 IF ON 3 P308 + P313 IF expo attention. P333 + P313 If skin i attention. P362 + P364 Take o reuse. Storage: P405 Store locked up Disposal: P501 Dispose of con posal plant. : Reports have associations of the chemication of the chemicatio	instructions before use. until all safety precautions have been read dust/ fume/ gas/ mist/ vapors/ spray. work clothing must not be allowed out of e gloves/ protective clothing/ eye protection/ SKIN: Wash with plenty of water. osed or concerned: Get medical advice/ rritation or rash occurs: Get medical advice/ ff contaminated clothing and wash it before o. tents/ container to an approved waste dis- ated repeated and prolonged exposure to ls in this product with permanent brain,liver, system damage. Intentional misuse by de- n and inhalation of vapors may be harmful
Other hazards None known.	or fatal.	

Supplemental information

If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
xylene	1330-20-7	>= 2 - < 5
ethylbenzene	100-41-4	>= 0 - < 1
Quartz (SiO2) <5µm	14808-60-7	>= 0 - < 1
aromatic polyisocyanate	53317-61-6	>= 0 - < 1

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend-



Version 1.5	Revision Date: 12/21/2016	SDS Number: 00000604224
If inhaled	ance. : Move to fresh air. Consult a physician	after significant exposure.
In case of skin contact	: Take off contamina	ted clothing and shoes immediately. and plenty of water.
In case of eye contact	: Remove contact ler Keep eye wide ope If eye irritation pers	
If swallowed	Do not induce vomi Do not give milk or	vater and drink afterwards plenty of water. ting without medical advice. alcoholic beverages. g by mouth to an unconscious person. ention.
Most important symptoms and effects, both acute and delayed	Allergic reactions See Section 11 for and symptoms. May cause an allerg May cause cancer b	more detailed information on health effects gic skin reaction. by inhalation. e to organs through prolonged or repeated
Notes to physician	: Treat symptomatica	ally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform



	levision Date: 2/21/2016	SDS Number: 000000604224
Methods and materials for containment and cleaning up	cannot be contained : Soak up with inert a acid binder, universa	ould be advised if significant spillages I. bsorbent material (e.g. sand, silica gel,
SECTION 7. HANDLING AND ST	ORAGE	
Advice on protection against fire and explosion	: Normal measures for	or preventive fire protection.
Advice on safe handling	section 8). Do not get in eyes, of For personal protect Persons with a histor ma, allergies, chroni not be employed in a used. Smoking, eating and plication area.	e given occupational exposure limits (see on skin, or on clothing. tion see section 8. bry of skin sensitization problems or asth- ic or recurrent respiratory disease should any process in which this mixture is being d drinking should be prohibited in the ap- tiene measures when handling chemical
Conditions for safe storage	place. Observe label preca	tainer. Iy closed in a dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
xylene	1330-20-7	TWA	100 ppm 434 mg/m3	CA AB OEL
		STEL	150 ppm 651 mg/m3	CA AB OEL
		TWAEV	100 ppm 434 mg/m3	CA QC OEL
		STEV	150 ppm 651 mg/m3	CA QC OEL
		TWA	100 ppm	CA BC OEL
		STEL	150 ppm	CA BC OEL
		TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH

Ingredients with workplace control parameters

Sikaflex[®]-1A



Version Revision Date: 1.5 12/21/2016		SDS Number: 000000604224		
ethylbenzene	100-41-4	TWA	100 ppm 434 mg/m3	CA AB OEL
		STEL	125 ppm 543 mg/m3	CA AB OEL
		TWA	20 ppm	CA BC OEL
		TWAEV	100 ppm 434 mg/m3	CA QC OEL
		STEV	125 ppm 543 mg/m3	CA QC OEL
		TWA	20 ppm	ACGIH
		STEL	125 ppm	ACGIH
Quartz (SiO2) <5µm	14808-60-7	TWA (Res- pirable frac- tion)	0.1 mg/m3	CA ON OEL
		TWA (Res- pirable par- ticulates)	0.025 mg/m3	CA AB OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Res- pirable)	0.025 mg/m3 (Silica)	CA BC OEL
		TWA (Res- pirable frac- tion)	0.025 mg/m3 (Silica)	ACGIH

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
xylene	1330-20-7	Methylhip- puric acids	Urine	End of shift (As soon as possible after exposure ceases)	1.5 g/g cre- atinine	ACGIH BEI
ethylbenzene	100-41-4	Sum of mandelic acid and phenyl gly- oxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	0.15 g/g creatinine	ACGIH BEI

Engineering measures

: Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal protective equipment

Respiratory protection : Use a properly fitted NIOSH approved air-purifying or air-fed



Version 1.5	Revision Date: 12/21/2016	SDS Number: 00000604224
	respirator complying sessment indicates	g with an approved standard if a risk as- this is necessary.
	imum expected cont (gas/vapor/aerosol/p dling the product. If	ne respirator must be suitable for the max- taminant concentration particulates) that may arise when han- this concentration is exceeded, self- apparatus must be used.
Hand protection		
Remarks	approved standard s	impervious gloves complying with an should be worn at all times when handling a risk assessment indicates this is nec-
Eye protection		nplying with an approved standard should assessment indicates this is necessary.
Skin and body protection		ction in relation to its type, to the concen- of dangerous substances, and to the spe-
Hygiene measures	Wash hands before the product.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste
Color	: various
Odor	: aromatic
Odor Threshold	: No data available
рН	: No data available
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available

Sikaflex[®]-1A



Version 1.5	Revision Date: 12/21/2016	SDS Number: 000000604224
Lower explosion limit	: No data available	
Vapor pressure	: ()	
	0.01 hpa (0.01 mmH	lg)
Relative vapor density	: No data available	
Density	: ca. 1.4 g/cm3 (20 °C	C (68 °F) ())
Solubility(ies) Water solubility	: No data available	
Solubility in other solvent	s : No data available	
Partition coefficient: n- octanol/water	: No data available	
Autoignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. > 20.5 mm2/s (4	(3° 0
Explosive properties	: No data available	
Molecular weight	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.	
Chemical stability	: The product is chemically stable.	
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.	
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
No decomposition if stored and applied as directed.		

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Sikaflex[®]-1A



ersion 5	Revision Date: 12/21/2016	SDS Number: 000000604224
Product:		
Acute inhalation toxicity	: Acute toxicity estimate: Exposure time: 4 h Test atmosphere: vapor Method: Calculation me	
Acute dermal toxicity	: Acute toxicity estimate: Method: Calculation me	
Ingredients:		
aromatic polyisocyanate: Acute oral toxicity	: : LD50 Oral (Rat): > 5,00	0 mg/kg
Skin corrosion/irritation Not classified based on ava	ailable information.	
Serious eye damage/eye irritation		
	t classified based on available information.	
Respiratory or skin sensitization		
	in sensitization: May cause an allergic skin reaction. spiratory sensitization: Not classified based on available information.	
Germ cell mutagenicity Not classified based on ava		
Carcinogenicity		
May cause cancer by inhalation. IARC Group 2B: Possibly carcinogenic to humans		ogenic to humans
	titanium dioxide	13463-67-7
	ethylbenzene	100-41-4
	Carbon black	1333-86-4
	Group 1: Carcinogenic to humans	
	Quartz (SiO2) <5µm	14808-60-7
NTP	Known to be human carcir	nogen
	Quartz (SiO2) <5µm	14808-60-7

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (hearing organs) through prolonged or repeated exposure if inhaled.

Sikaflex[®]-1A

Version



SDS Number:

1.5	12/	21/2016	00000604224
	Aspiration toxicity		
	Not classified based on available information.		
SEC	CTION 12. ECOLOGICAL INFO	RMATION	
	Ecotoxicity No data available		
	Persistence and degradability No data available	/	
	Bioaccumulative potential		
	No data available		
	Mobility in soil		
	No data available		
	Other adverse effects		
	Product:		
	Additional ecological infor- mation	tainer in a safe Avoid dispersa	nto drains; dispose of this material and its con- way. of spilled material and runoff and contact with , drains and sewers.

Revision Date:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

TDG (road/train) Not dangerous goods

International Regulations

IATA-DGR Not dangerous goods IMDG-Code Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Version 1.5 Revision Date: 12/21/2016

SDS Number: 000000604224

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Revision Date	: 12/21/2016
Prepared by	: R & D of Sika Canada Inc.

Notice to Reader:

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

Full text of other abbreviations

ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973
	as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a



Version 1.5	Revision Date: 12/21/2016	SDS Number: 000000604224
SVHC vPvB	European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative	
CA / Z8		